Gestural overlap and C-center in selected French consonant clusters

Barbara Kühnert^{1,2}, Philip Hoole³, Christine Mooshammer⁴

¹Institut du Monde Anglophone, Université Paris 3 – Sorbonne Nouvelle, and ²Laboratoire de Phonétique et Phonologie (CNRS / UMR 7018) 5, rue de L'Ecole de Médecine, 75006 Paris, France

³Institut für Phonetik & Sprachliche Kommunikation, Ludwig-Maximilian-Universität München, Schellingstrasse 3 / II, 80799 München, Germany

⁴ Institut für Phonetik & Digitale Sprachverarbeitung, Christian-Albrechts-Universität Kiel, 24098 Kiel, Germany

Abstract. Inter-consonantal cohesion in French word-initial CC clusters is investigated in light of recent proposals of gestural coordination. Specifically, the timing of lip and tongue movements of $C_1/l/$ and $C_1/n/$ productions, with C_1 being one of the consonants /p, f, k/, of two speakers were studied using electromagnetic articulography (EMA). In French, C/l/ clusters occur frequently in word-initial position, while C/n/ sequences have a limited distribution in less common words. The results provide evidence that liquid as well as nasal sequences consistently show the same 'place of articulation' effect of gestural overlap as previously reported for stop-stop clusters, with more overlap in front-to-back than back-to-front sequences. This suggests that the effect is partially due to low-level motor constraints rather than considerations of perceptual recoverability. Furthermore, the results show that the lexical frequency of the sequence does not influence the timing in a simple, categorical manner: stop-nasal clusters showed a strikingly different inter-gestural coordination in comparison with their stop-l/ counterparts. while no such differences could be observed for the fricative pair. An additional analysis of the overall C-centre of the CC structures demonstrated a rather high temporal stability suggesting that there is, despite many timing differences emerging at the phonetic surface, a relative constant phasing between initial consonant sequence and following vowel.

1. Introduction

Over the last few years, much work has been devoted to exploring the temporal organisation of articulatory gestures in the production of consonant clusters. Specifically, word-initial consonant clusters have been shown to behave in many different ways when compared to their non-initial counterparts. Broadly speaking, they seem to be more "robust" in the sense that they tend to show less overlap between component gestures and they are less variable in their timing properties (e.g. Byrd, 1996). Even though, and since the production of a consonant cluster is not a particularly simple action, the detailed mechanisms of its temporal coordination entail many factors which remain unknown.

There are several proposals which have been put forward to influence the intergestural cohesion of word-initial consonant sequences. Within the framework of Articulatory Phonology, variations in gestural coordination are assumed to emerge from differences in the underlying coupling between gestural units. Browman & Goldstein (2000) hypothesize that gestures within a syllable are associated with different degrees of bonding strength. Consonant gestures in syllable-initial position exhibit both a phasing relation with the following vowel as well phasing relations directly to each other. It is the competition of these two phase relations, which results in the C-center effect, a temporal anchor point within the consonant sequence which is assumed to preserve a stable timing with respect to the vowel, regardless of the number of consonants and the phonetic composition of the cluster. No such inter-consonantal phasing is supposed to occur in other syllable positions where inter-gestural timing may therefore show higher variability (cf. Nam & Saltzman (2003) for implementing intergestural coupling along these lines).

A further factor, which has been evoked to affect timing relationships, is the consideration of perceptual recoverability of gestures. Essentially, less overlap between gestures should occur in clusters in which perceptual recoverability is at stake. This has been applied to the observation that consonant clusters show less overlap in initial position than elsewhere as well as to account for studies, which repeatedly demonstrated a "place order" effect in stop-stop sequences. Back-to-front sequences (e.g. [kt, tp]) showed less temporal overlap than front-to-back sequences ([tk, pt]) (Chitoran et al., 2002; Kochetov & Goldstein, 2005). The argument is that a C₂ constriction anterior to C_1 masks the acoustic properties of C_1 more than a C_2 constriction posterior to it – thus, less overlap is allowed. In more recent pilot studies, the same effect has been observed for stop-liquid clusters. Since liquid productions, however, do no threaten the perceptual distinctiveness of C₁ in the same way as a stop articulation, it has been suggested that the "place order" effect might be partially due to low-level motor constraints (Kühnert & Hoole, 2006) or rather reflect more fundamental underlying differences of lexically specified coordination patterns (Chitoran & Goldstein, 2006).

Gestural coordination might furthermore be affected by lexical characteristics of words, such as usage frequency, or sub-lexical characteristics, such as the phonotactic probability of the sequence (with both factors being, in fact, highly correlated). Both have been shown to affect production latency as well as production accuracy (Wright, 2004; Vitevitch et al., 2004). Wright argued that, even though word frequency appears to be encoded at the lexical level, it also affects more fine grained aspects of speech

production. In a unrelated, but similar, vein Davidson & Stone (2003) reported that speakers who have to produce consonant clusters which are phonotactically illegal in their native language often fail to employ the appropriate gestural coordination and have a tendency to pull the consonant gestures apart (see also Davidson, 2006).

In light of this context, the following study investigates both, the intra- and inter-gestural timing properties of word-initial C/l/ and C/n/ clusters in French in order to address the various potential factors influencing gestural orchestration in consonant sequences.

2. Methods

2.1 Subjects and speech material

Two male native speakers of French, exhibiting normal speech and hearing, served as subjects (henceforth S1 and S2). The data are a subset of a more extensive corpus in which the subjects produced multiple repetitions of utterances of the form « Je vois $word_1$ et $word_2$ et $word_3$ ». Word_1 and word_2 were one-syllable content words containing all French phonotactically legal initial C, CC and CCC-sequences; word₃ was a dummy. Here, we report the results for 10 repetitions of cluster productions in which C_1 was /p/, /f/, or /k/, and $C_2/l/$ or /n/. Unlike C/l/ sequences, C/n/ sequences have a limited distribution in French and are constituents of only a few and rather less We used the Lexique3 database (New et al., common words. 2001: http://www.lexique.org/) to estimate the frequency of each test word relative to one million occurrences (see Table 1; in brackets in bold italics) and to estimate the frequency of the initial CC structure (given in normal font). Note that /fn/ in French only occurs in the name of a widespread book retailer, FNAC, and no estimation could be derived from the database. The items were randomized; the sentences were prompted on a computer screen and the subjects were instructed to read them at a self-chosen speed.

	C1										
C2	bilabial	labio-dental	velar								
/\/	plaque (46 , 2620)	flaque (23 , 1442)	<i>claque</i> (74 , 1747)								
/n/	pneu (17 , 63)	fnac (,)	knout (0.2 , 4)								

Table 1. Test items with estimated frequencies (per million). In bold italics: word frequency; in normal font: C_1C_2 frequency (see text).

2.2. Recording procedure and data analysis

Movements of the lips, mandible and tongue were captured using a three-dimensional electromagnetic transduction device (Carstens AG500). Additional sensors served as reference coils. The acoustic speech signal was recorded synchronously with the movement signals. A detailed description of data acquisition, normalisation and preparation procedures is outlined in Hoole et al. (2003). Our focus is on data from the

upper and lower lip (UL & LL), the tongue tip (TT) and rearmost tongue body (TB) transducer.

Fig. 1 provides an illustration of parameter extraction for one production of *claque* of S1. The data were analyzed using MATLAB routines to identify several kinematic parameters in the displacement and velocity signals of the EMMA recordings. Specifically, the on- and offset of: C_1 constriction plateau, C_2 closing gesture and C_2 constriction plateau. For bilabial stops, the tangential velocity of lip aperture, calculated as vertical distance between UL and LL, was used. For labio-dental fricatives, the tangential velocity of LL was evaluated, while for velar stops the velocity signal of the vertical movement of TB, and for /l/ and /n/ the tangential velocity of TT was used. On- and offsets were defined as points in time at which the velocity exceeded a 20 % threshold value of its maximal speed above zero velocity.




Fig. 1. Kinematic parameter extraction (illustration only) in one production of *claque*. Top: audio; middle: vertical TT-movement; bottom: vertical TB-movement. $1 = C_1$ constriction plateau; $2 = C_2$ closing gesture; $3 = C_2$ constriction plateau; C-center aligned relative to the acoustic burst of the word-final consonant (see text for details).

As index of the temporal overlap between C_1 and C_2 , two measures were evaluated: (a) the interval between the end of the constriction plateau of C_1 and the moment in time at which movement onset for C_2 is initiated, i.e. how early does gesture onset of C_2 occur within C_1 – this parallels Chitoran et al. (2002); and (b), the interval between the end of the constriction plateau of C_1 and the moment in time at which the constriction for C_2 is reached, i.e. the temporal lag between C_1 constriction off- and C_2 constriction onset. Both overlap indices are given as percentage relative to the overall cluster closure duration, defined as interval between C_1 constriction on- and C_2 constriction offset.

Finally, following Browman and Goldstein (2000), the C-centre is calculated as the means of the centres of the constrictions intervals of the individual gestures of C_1 and C_2 , as indicated above. The location of the means is aligned relative to the acoustic burst of the final consonant (see right-most cursor in Fig. 1). The measurement is based

on the assumption that the vowel gesture, whose temporal properties are difficult to measure directly, is coordinated equally with the final plosive in all test items.

The statistical analysis included a separate two-way analysis of variance on each dependent variable, for each subject. The dependent variables are: duration of C_1 constriction plateau, duration of C_2 closing gesture, duration of C_2 constriction plateau, and percentage of C_1C_2 onset overlap and C_1C_2 constriction lag. The independent variables are nature of C_1 and nature of C_2 . When significant differences were found, Bonferroni's tests were performed for comparison. The statistical results are summarized in Table 2; discussion of interactions, as far as significant, will be outlined in the text.

3. Results

	Speaker S1							Speaker S2						
	C1				C2		C1				C2			
	р	f	k		Ι	n		р	f	k		1	n	
C1_plateau	70	108*	49*		72	79		58	66	39*		62	47*	
(ms)	(12)	(23)	(12)		(18)	(37)		(16)	(15)	(12)		(19)	(14)	
C2_closing	67	63	45*		58	59		50	51	46		49	49	
(ms)	(15)	(16)	(05)		(19)	(11)		(16)	(14)	(16)		(17)	(13)	
C2_plateau	58	50	55		46	62*		51	43	41		44	45	
(ms)	(14)	(12)	(16)		(11)	(12)		(15)	(08)	(10)		(10)	(13)	
onset_overlap	32	44*	09*		36	21*		-01	15*	-08		08	-04*	
(%)	(16)	(12)	(09)		(20)	(16)		(17)	(15)	(21)		(17)	(22)	
constrict_lag	-14	03*	-23*		-08	-14	_	-32	-21*	-42*		-26	-38*	
(%)	(10)	(04)	(08)		(12)	(14)		(09)	(07)	(11)		(09)	(13)	

Table 2. Individual subjects means (s.d. in brackets) across C_1 and C_2 .* indicate significance of the main effect at p < 0.01.</td>


3.1. Kinematic durations


As expected, C_1 constriction plateau differs significantly as a function of the nature of C_1 , being for both subjects significantly shorter in clusters starting with /k/ than starting with /p/ and /f/, respectively. Only S2 demonstrates at the same time a consistent influence of the nature of C_2 on C_1 constriction: C_1 -plateau is shorter, when followed by /n/ than when followed by /l/. For none of the speakers, the duration of the C_2 closing gesture shows a significant influence of the nature of C_2 . For S1, however, the duration of the C_2 closing gesture is significantly longer when the preceding consonant is anterior, i.e. /p/ or /f/, than when it is posterior /k/. The duration of C_2 constriction plateau, finally, is not affected by the initial consonant, but significantly longer for /n/ than for /l/ for speaker S1.

3.2. Gestural overlap

The results of measurements of the overlap indices between the two consonants are listed in Table 2 and detailed in Fig. 2. Onset overlap and constriction lag were found to differ highly significantly depending on the nature of C_1 and C_2 for both subjects, though only S2 demonstrated a significant interaction between the two factors. While there are prominent differences in absolute timing, there are nevertheless some clear

patterns across speakers and conditions. Both speakers allow the highest overlap in /f/initial clusters, with S1 in this case forming C₂ closure still during C₁ constriction. /p/sequences, in turn, exhibit consistently higher onset and constriction overlap than the corresponding /k/-sequences. At the same time, the two stop sequences substantially differ depending on the nature of C₂. For both /p/ and /k/, gesture onset and constriction occur later for /n/ than for /l/. This timing difference is particularly substantial for S2, who initiates C₂ gesture only after the release of C₁ in /pn/ and kn/ sequences. Consistent differences in the two overlap indices between /n/ and /l/ in /f/-clusters are not readily apparent.










Fig. 2. Mean values and standard deviation (in %) of C_1C_2 overlap indices. Positive values indicate more overlap, negative values indicate greater lag between C_1 and C_2 (see text for details).

3.3. C-center

As outlined above, we calculated the C-centre of the overall consonant sequence as the means of the centres of the target constrictions intervals of the individual gestures of C_1 and C_2 , aligned relative to the acoustic burst of the final consonant. Since this alignment point was not available for *pneu*, this test item was removed from the following analysis, a one-way Anova with C-center location as dependent variable and consonant cluster as independent variable. As illustrated in Fig. 3, the phonetic composition of the initial cluster had no significant effect on the location of the C-center for S1 [F(4,44)=5.149; n.s], while for S2 the statistical analysis proved to be significant [F(4,49)=5.532; p<0.001]. As the results of the Bonferroni's multiple comparison test revealed this was due to the fact that only the C-center location of /kn/ was significantly different from all other clusters.

4. Discussion

Looking first at the gestural coordination in the stop- C_2 sequences, the overlap patterns observed in this study confirm earlier data reporting that the "place order" effect is not restricted to stop-stop sequences, but also surfaces in stop-liquid and, as here, in stop-nasal sequences (Kühnert & Hoole, 2006; Chitoran & Goldstein, 2006). Both speakers allow consistently more overlap in the direction front-to-back than back-to front, i.e. /pl/ > /kl, and /pn/ > /kn/. Most of all, this kind of order applies regardless of the fact that the internal coordination between C_1 and C_2 was strikingly different in C/l/ and C/n/ sequences.




Fig. 3. Mean location of the C-center relative to the burst of the final stop; error bars show the standard deviation (time in sec.).

As argued previously, it seems to us that this pattern is not only due to factors of perceptual recoverability, which, if anything, are weaker in stop-liquid and stop-nasal productions since they do not mask the possible information about the preceding consonant in the same way as a plosive would. Rather it seems that this pattern is also caused by simple constraints of the executing motor system. The significantly longer duration of gesture onset to target achievement of /l/ and /n/ when following consonants with no lingual involvement for subject S1, seems to indicate that here the tongue is simply free to move and anticipate the upcoming articulation much earlier during the bilabial closure phase. Velar stop articulations, by contrast, require a holistic tongue movement, which are known to tightly constrain the articulator movement of the whole tongue, including the tip/blade system (e.g. Perkell, 1969). Thus, in the context of /k/C₂ productions the tongue blade cannot execute the articulation of any other lingual gesture as early as in /p/C₂ productions.

As far as the influence of the lexical frequency of the words on inter-gestural coordination is concerned, the data leave a rather mixed impression. Essentially, it cannot be said that lexical frequency by itself affects inter-gestural cohesion in a straightforward manner (cf. Davidson, 2006). For both speakers, there were no systematic differences with regard to any of the kinematic parameters investigated between /fl/ and /fn/ sequences - although /fn/ is just as limited in its occurrence as /pn/ and /kn/ and all three onsets are, for example, regarded by Rialland (1994) as being extra-syllabic in French.

The data of both speakers, however, revealed a fundamental difference in intergestural timing between stops followed by /l/ and stops followed by /n/, with the gestures much more spread apart in the latter case. As such, this pattern is similar to the temporal coordination for gestures that were not only phonotactically rare but illegal for speakers (Davidson & Stone, 2003). One factor causing the lesser overlap in C/n/ groups might be that nasals, unlike laterals, involve the coordination of two gestures, tongue front movement and velic opening. On the one hand, a plosive requires precise velic closure for the build up of oral pressure behind its constriction. On the other hand, the main audible trace of a word-initial stop is at its release and it is thus important that the distinctiveness of the burst is maintained. Too early nasal venting would violate both of these conditions and thus threaten the perceptual salience of initial plosives – much more so than the incomplete constriction of /l/ does. The continuous noise of the fricative /f/, by contrast, might be perceptually somewhat more robust against some degree of velar opening and therefore tolerates more overlap with the nasal, in particular since the noise source is in front of the C₂ constriction.

Finally, despite the different coordination patterns between C_1 and C_2 outlined above, both speakers showed a surprising stability in the location of the overall C-centre across the different CC-sequences. As it were, the component gestures of the cluster productions were adjusted in such a way that the relationship between initial consonant cluster and following vowel remained globally the same. This can be seen most clearly in speaker S2's data in which the pulling-apart of the gestures in stop-nasal productions was compensated for by a parallel shortening of C_1 constriction duration. As such, the data are compatible with Browman & Goldstein's (2000) suggestion that there is a special coupling relationship between consonant gestures in initial CC-structures in such a way that an underlying global CV-cohesion is maintained.

References

- Byrd, D. Influences on articulatory timing in consonant sequences. JPhon, 24(2):209-244, 1996.
- Browman, C. and Goldstein, L. Competing constraints on intergestural coordination and selforganization of phonological structures. In Bulletin de la Communication Parlée, vol. 5, pp. 25-34, 2000.
- Chitoran, I., Goldstein, L. and Byrd, D. Gestural overlap and recoverability: Articulatory evidence from Georgian. In Papers in Laboratory Phonology VII, C. Gussenhoven, T. Rietfield and N. Warner (eds.), Mouton de Gruyter, pp. 419-448, 2002.
- Chitoran, I. & Goldstein, Louis. Testing the phonological status of perceptual recoverability: Articulatory evidence from Georgian. Proc. of the 10th Conference on Laboratory Phonology, Paris, June 29th – July 1st, pp. 69-70, 2006.
- Davidson, Lisa. Phonology, phonetics, or frequency: Influences on the production of non-native sequences. JPhon, 34(1): 104-137, 2006.
- Davidson, L. and Stone, M. Epenthesis versus gestural mistiming in consonant cluster production: an ultrasound study. Proc. of the West Coast Conference on Formal Linguistics 22, G. Garding and M. Tsujimura (eds.), Cascadilla Press, pp. 165-178, 2004.
- Hoole, P., Zierdt, A. and Geng, C. Beyond 2D in articulatory data acquisition and analysis. Proc. of the International Conference of Phonetic Sciences XV, pp. 265-268, 2003.
- Kochetov, A. and Goldstein, L. Position and place effect in Russian word-initial and wordmedial stop clusters. JASA, 117(4): 2571, 2005.
- Kühnert, B. & Hoole, P. Cohésion temporelle dans les groupes C1/l/ initiaux en français. In Actes des XXVIes Journées d'Etude sur la Parole, pp. 545–548, 2006.
- Nam, H. and Saltzman, E. A competitive, coupled oscillator of syllable structure. Proc. of the International Congress of Phonetic Sciences XV, pp. 2253-2256, 2003.
- New, B., Pallier, C., Ferrand, L. and Matos, R. Une base de données lexicales du français contemporain sur Internet : LEXIQUE. L'Année Psychologique, 101:447-462, 2001.
- Perkell, J. Physiology of speech production: results and implications of a quantitative cineradiographic study. MIT Research Monograph 53, MIT Press, 1969.Rialland, A. The phonology and phonetics of extrasyllabicity in French. In Papers in Laboratory Phonology III, P. Keating (ed.), Mouton de Gruyter, pp. 136-159, 1994.
- Wright, R. Factors of lexical competition in vowel articulation. In Papers in Laboratory Phonology VI, J. Local, R. Odgen & R. Temple (eds.), Mouton de Gruyter, pp. 136-159, 2004.
- Vitevitch, M., Armbrüster, J. and Chu, S. Sublexical and lexical representations in speech production. Effects of phonotactic probability and onset density. Journal of Experimental Psychology: Learning, Memory and Cognition, 30: 514-529, 2004.